








	BGR 234
	DIN EN 15512
	DIN EN 15620
	DIN EN 15629
	DIN EN 15635




DIN 18202	
L m	X mm
< 1,0	max. 4
> 1,0 - 4,0	max. 10
> 4,0 - 10,0	max. 12
> 10,0 - 15,0	max. 15






Atlas ST




H = 2000
A = 1350
T = 500

Typ		A	B	C	D	E	F	G	H
	1a	3	4	5	6	-	-	-	-
	1b	-	-	-	-	3	4	5	6
	2	4	6	8	10	4	6	8	10
	3	4	4	4	4	4	4	4	4
	4	10	14	18	22	10	14	18	22


A




B




C




D




E




F



G



H










Atlas ST




Das Lagersystem






Atlas ST




H = 2000

A = 1350






T = 150 / 190 / 225 / 280 / 340 / 410 / 500



Typ		A	B	C	D	E	F	G	H
	1a	3	4	5	6	-	-	-	-
	1b	-	-	-	-	3	4	5	6
	2	4	6	8	10	4	6	8	10
	3	4	4	4	4	4	4	4	4
	4	10	14	18	22	10	14	18	22






Atlas ST











Atlas ST







	1
	2
	3





H:T < 5:1



H:T > 5:1

